

LAPI LABORATORIO PREVENZIONE INCENDI S.p.A. Sede Primaria: I-59100 PRATO - Via della Quercia, 11 Telefono +39 0574.575.320 - Telefax +39 0574.575.323 Sede Secondaria: 1-50041 CALENZANO (FI) - Via Petrarca, 48 e - mail: lapi@laboratoriolapi.itweb site: www.laboratoriolapi.it

Reg. 305/2011 Notified Body N°0987



## Certificate of Evaluation and Verification of Constancy of Performance 0987-CPR-112

In compliance with the Regulation UE 305/2011 on the approximation of law, regulations and administrative provisions of the Member States relating to the construction products, it has been stated that the construction product:

building product of the family:

## COPRIPAVIMENTI

Denominated

Coprisol Minor, Coprisol Super, Coprisol Super Sport, Coprisol 2.5, Coprisol 3.3, Coprisol 4

Description of the product:

Resilient floor covering, thickness from 1.25 to 4.0 mm, various colours

Type:

Resilient co-extruded vinylic two layer floor covering, surface: big stud, small stud, gym, plate

Use:

Floor covering

End uses:

Laid with or without adhesive to non combustible support belonging to Euroclass A1fl or A2fl

Producer:

SOGEGA S.r.l.

Via Cascinetta, 11 - 28013 GATTICO (NO) - ITALY

in the factory:

Via Cascinetta, 11 - 28013 GATTICO (NO) - ITALY

is submitted by the manufacturer to the factory production control (FPC) under system 1 and to the testing of samples (ITT) by the Notified body for Certification, Inspection and Testing according to Regulation UE 305/2011.

The Notified Body (LAPI S.p.A. - Laboratorio Prevenzione Incendi N° 0987) has performed the initial type testing on the samples taken at the factory in accordance with the described test for the relevant characteristics of the product, the initial inspection of the factory and the factory production control and it will perform the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning to the System 1 and the performances described in Annex ZA of the standard

EN 14041: 2004 - EN 14041: 2004/AC (2006)

Resilient, textile and laminate floor coverings - Essential characteristics

are performed and the product complies with characteristics required as for:

Formaldehyde emission: class E1

Slip resistance EN 13893: 2002 NPD

Moreover the product has reaction-to-fire Euroclass classified according to UNI EN 13501-1:2009 standard and evaluated according to Annex D.8 Table D.1 of the product standard EN 14041: 2004 - EN 14041: 2004/AC (2006) (\*): Absent.

 $B_{fl}$  - s1

CE

This renewal of the certificate, first time issued on 03/03/2008, it was released on 19/02/2018 and it remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or as long as the factory production control itself are not modified significantly and latest on 02/03/2023.

The present certificate has been issued with repetition of tests.

Prato, 19/02/2018

The Technical Director

Or. Luca Ermini